

TRIPLE S TECHNOLOGY CO.,LTD

40/1 Soi Pattanakarn20 Yeak4, Pattanakarn Rd.,
Suanluang, Suanluang, Bangkok 10250

Tel : 02-318-2386-7

Fax : 02-318-2388

Email : sale@triple-s.co.th



S COLLECTION

2026 V1




S COLLECTION
MODULAR



S COLLECTION
MODULAR

S collection epitomizes precision and versatility, offering a range of lighting solutions that transform your space. Whether you're aiming to highlight architectural features, create an inviting atmosphere, or enhance practical lighting needs, our products adapt effortlessly to any environment. Explore how the S collection merges refined design with exceptional functionality to elevate your space.

SKYLINE26 MODULES SEAL MODULES SLING MODULES



MAGNETIC TRACKLIGHT

SKYLINE 26

SKYLINE 26 MAGNETIC TRACKLIGHT



SK26-S30R



SK26-S38R



SK26-S54R



SK26-S62R



SK26-S75R



SK26-S30R2

SKYLINE 26

MAGNETIC TRACKLIGHT



SK26-S38R2



SK26-S30C



SK26-S38C



SK26-WW245



SK26-GL303U



SK26-GL305

SKYLINE 26

MAGNETIC TRACKLIGHT



SK26-GL605



SK26-GL905



SK26-GL1205



SK26-GLA112



SK26-GLA220



SK26-AC112

SKYLINE 26

MAGNETIC TRACKLIGHT



SK26-AC220



SK26-ACA112



SK26-ACA220



SK26-PT38



SK26-BA100



SK26-PA80



SK26-ZC36



SKYLINE 26
LED MODULAR SYSTEM

SK26-S30R
48VDC MAGNETIC TRACKLIGHT



SK26-S38R
48VDC MAGNETIC TRACKLIGHT





SK26-S54R
48VDC MAGNETIC TRACKLIGHT





SK26-S62R
48VDC MAGNETIC TRACKLIGHT



MAGNETIC TRACK MODULE

MODEL	SK26-S30R	SK26-S38R
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	5W	10W
CCT	3000K 4000K 5000K	3000K 4000K 5000K

MODEL	SK26-S54R	SK26-S62R
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	18W	22W
CCT	3000K 4000K 5000K	3000K 4000K 5000K

BEAM ANGLE	SK26-S30R	SK26-S38R
		
CRI	>90	>90
MOUNTING	TRACK: 48VDC MAGNETIC TRACK	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	345 @ 3000K	780 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI

BEAM ANGLE	SK26-S54R	SK26-S62R
		
CRI	>90	>90
MOUNTING	TRACK: 48VDC MAGNETIC TRACK	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	1602 @ 3000K	1386 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI

COLOR	SK26-S30R	SK26-S38R
	WHITE BLACK GOLD	WHITE BLACK GOLD
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

COLOR	SK26-S54R	SK26-S62R
	WHITE BLACK GOLD	WHITE BLACK GOLD
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SKYLINE 26
LED MODULAR SYSTEM

SK26-S75R
48VDC MAGNETIC TRACKLIGHT



SK26-S30R2
48VDC MAGNETIC TRACKLIGHT





SK26-S38R2
48VDC MAGNETIC TRACKLIGHT






SK26-S30C
48VDC MAGNETIC TRACKLIGHT



MAGNETIC TRACK MODULE

MODEL	SK26-S75R	SK26-S30R2
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	30W	5WX2
CCT	3000K 4000K 5000K	3000K 4000K 5000K
BEAM ANGLE	 18° 24° 36°	 18° 24° 36°
CRI	>90	>90
MOUNTING	TRACK: 48VDC MAGNETIC TRACK	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	2610 @ 3000K	380lm X 2 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI
COLOR	WHITE BLACK	WHITE BLACK GOLD
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

MODEL	SK26-S38R2	SK26-S30C
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	10WX2	5W
CCT	3000K 4000K 5000K	3000K 4000K 5000K
BEAM ANGLE	 24° 32° 42°	 18° 24° 36°
CRI	>90	>90
MOUNTING	TRACK: 48VDC MAGNETIC TRACK	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	870lm X 2 @ 3000K	347 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI
COLOR	WHITE BLACK GOLD	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SKYLINE 26
LED MODULAR SYSTEM

SK26-S38C
48VDC MAGNETIC TRACKLIGHT



SK26-WW245
48VDC MAGNETIC TRACKLIGHT





SK26-GL303U
48VDC MAGNETIC TRACKLIGHT



SK26-GL305
48VDC MAGNETIC TRACKLIGHT



MAGNETIC TRACK MODULE

MODEL	SK26-S38C	SK26-WW245
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	10W	12W
CCT	3000K 4000K 5000K	3000K 4000K
BEAM ANGLE	 18° 24° 36°	 POLARIZED 8°
CRI	>90	>90
MOUNTING	TRACK: 48VDC MAGNETIC TRACK	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	776 @ 3000K	1068 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

MODEL	SK26-GL303U	SK26-GL305
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	5W	7W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 110°	 110°
CRI	>90	>90
MOUNTING	TRACK: 48VDC MAGNETIC TRACK	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	459 @ 3000K	280 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI
COLOR	WHITE BLACK	BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SKYLINE 26
LED MODULAR SYSTEM

SK26-GL605
48VDC MAGNETIC TRACKLIGHT



SK26-GL905
48VDC MAGNETIC TRACKLIGHT



MAGNETIC TRACK MODULE


MODEL	SK26-GL605	SK26-GL905
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	15W	22W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 110°	 110°
CRI	>90	>90
MOUNTING	TRACK: 48VDC MAGNETIC TRACK	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	570 @ 3000K	770 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI
COLOR	BLACK	BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

SK26-GL1205
48VDC MAGNETIC TRACKLIGHT



SK26-GLA112
48VDC MAGNETIC TRACKLIGHT



MODEL	SK26-GL1205	SK26-GLA112
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	26W	6W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 110°	 110°
CRI	>90	>90
MOUNTING	TRACK: 48VDC MAGNETIC TRACK	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	910 @ 3000K	198 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI
COLOR	BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SKYLINE 26
LED MODULAR SYSTEM



SK26-GLA220
48VDC MAGNETIC TRACKLIGHT



SK26-AC112
48VDC MAGNETIC TRACKLIGHT



MAGNETIC TRACK MODULE



MODEL	SK26-GLA220	SK26-AC112
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	12W	6W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 110°	 28° 48°
CRI	>90	>90
MOUNTING	TRACK: 48VDC MAGNETIC TRACK	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	432 @ 3000K	456 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-


SK26-AC220
48VDC MAGNETIC TRACKLIGHT



SK26-ACA112
48VDC MAGNETIC TRACKLIGHT



MODEL	SK26-AC220	SK26-ACA112
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	12W	6W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 28° 48°	 28° 48°
CRI	>90	>90
MOUNTING	TRACK: 48VDC MAGNETIC TRACK	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	900 @ 3000K	198 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SKYLINE 26
LED MODULAR SYSTEM

SK26-ACA220
48VDC MAGNETIC TRACKLIGHT



SK26-PT38
48VDC MAGNETIC TRACKLIGHT






SK26-BA100
48VDC MAGNETIC TRACKLIGHT





SK26-PA80
48VDC MAGNETIC TRACKLIGHT



MAGNETIC TRACK MODULE

MODEL	SK26-ACA220	SK26-PT38
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	12W	7W
CCT	3000K 4000K	3000K 4000K 5000K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	TRACK: 48VDC MAGNETIC TRACK	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	900 @ 3000K	406 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI
COLOR	WHITE BLACK	WHITE BLACK GOLD
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

MODEL	SK26-BA100	SK26-PA80
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	7W	6W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE		
CRI	>90	>80
MOUNTING	TRACK: 48VDC MAGNETIC TRACK	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	616 @ 3000K	516 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-




SKYLINE 26
LED MODULAR SYSTEM

SK26-ZC36
48VDC MAGNETIC TRACKLIGHT




MAGNETIC TRACK MODULE

MODEL	SK26-ZC36
DIMENSION (MM)	
CUTOUT (MM)	-
WATTAGE	8W
CCT	3000K 4000K
BEAM ANGLE	 20° - 35°
CRI	>90
MOUNTING	TRACK: 48VDC MAGNETIC TRACK
LUMEN OUTPUT	240 @ 3000K / 232 @ 3000K
IP	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI
COLOR	WHITE BLACK
ACCESSORY	-
OPTICAL ACCESSORY	-




SKYLINE 26


48VDC MAGNETIC TRACK




SK26-01 TRACK
Slim




SK26-02 TRACK
Standard




SK26-03 TRACK
Standard Round



SK26-04 TRACK
Slim Trimless



SK26-05 TRACK
Standard Trimless



SK26-06 TRACK
Standard

SKYLINE 26

TRACK ACCESSORIES



SK26-CC



SK26-3C



SK26-IC




SK26-CD




SK26-PC

SKYLINE 26
MAGNETIC TRACK 48VDC
LED MODULAR SYSTEM


SK26-01 TRACK
SLIM




SK26-02 TRACK
STANDARD



SK26-03 TRACK
STANDARD ROUND



SK26-04 TRACK
SLIM TRIMLESS




MAGNETIC TRACK

MODEL	SK26-01 TRACK	SK26-02 TRACK
COLOR	BLACK WHITE	BLACK WHITE


MODEL	SK26-03 TRACK	SK26-04 TRACK
COLOR	WHITE BLACK	BLACK WHITE

ACCESSORY




SKYLINE 26
MAGNETIC TRACK 48VDC
LED MODULAR SYSTEM

SK26-05 TRACK
STANDARD TRIMLESS



SK26-06 TRACK
STANDARD



MAGNETIC TRACK

MODEL	SK26-05 TRACK	SK26-06 TRACK
COLOR	WHITE BLACK	BLACK WHITE

ACCESSORY



L-JOINT 90°



TEE ANGLE



L-JOINT 90°




IN CORNER



CROSS CORNER



END CAP



OUT CORNER



L-CONNECT PLATE



SUSPENSION BUCKET



END CAP



SUSPENSION BUCKET

SKYLINE 26
MAGNETIC TRACK 48VDC
LED MODULAR SYSTEM

SK26-CC
TRACK ACCESSORIES



MAGNETIC TRACK ACCESSORIES

MODEL	SK26-CC	SK26-3C
NAME	SOFT CONNECTION MODULE	THREE-WAYS CONNECTION MODULE
SIZR (MM)	280X16.2X18 / MIDDLE PART 60MM	280X16.2X18 / 140MM



SK26-IC
TRACK ACCESSORIES



MAGNETIC TRACK ACCESSORIES

MODEL	SK26-IC	SK26-CD
NAME	I SHAPE STRAIGHT CONNECTION MODULE	INPUT CONDUCTIVE MODULE
SIZR (MM)	119X16.2X18	109X16.2X18

SK26-CD
TRACK ACCESSORIES




SK26-PC
TRACK ACCESSORIES



MAGNETIC TRACK ACCESSORIES

MODEL	SK26-PC
NAME	PROTECTIVE COVER
SIZR (MM)	1000X25X4.6



CIRCULAR MAGNETIC TRACKLIGHT

SKYLINE 26

SKYLINE 26

CIRCULAR MAGNETIC TRACKLIGHT



SKC26-AC



SKC26-GL



SK26-S340G



SK26-S30R




SKC26-S330G



SKC26-S33R


SKYLINE 26

48VDC CIRCULAR MAGNETIC TRACK




SK26-TRACK

Circular 27.6 x 51.32



SK26-TRACK

Circular 27 x 53



SK26-TRACK

Circular 44.6 x 51.3



SKYLINE 26
CIRCULAR MODULES
LED MODULAR SYSTEM


SKC26-AC
48VDC CIRCULAR TRACKLIGHT



SKC26-GL
48VDC CIRCULAR TRACKLIGHT



CIRCULAR TRACK MODULE


MODEL	SKC26-AC	SKC26-GL
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	8W	8W
CCT	2700K 3000K 3500K 4000K 5000K	2700K 3000K 3500K 4000K 5000K
BEAM ANGLE	 30°	 110°
CRI	>90	>90
MOUNTING	TRACK: 48VDC CIRCULAR MAGNETIC TRACK	TRACK: 48VDC CIRCULAR MAGNETIC TRACK
LUMEN OUTPUT	544 @ 3000K	184 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF	ON/OFF
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-


SK26-S340G
48VDC CIRCULAR TRACKLIGHT



SK26-S30R
48VDC CIRCULAR TRACKLIGHT



MODEL	SK26-S340G	SK26-S30R
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	5W / 10W	5W / 10W
CCT	2700K 3000K 3500K 4000K 5000K	2700K 3000K 3500K 4000K 5000K
BEAM ANGLE	 18° 24° 36°	 18° 24° 36°
CRI	>90	>90
MOUNTING	TRACK: 48VDC CIRCULAR MAGNETIC TRACK	TRACK: 48VDC CIRCULAR MAGNETIC TRACK
LUMEN OUTPUT	345 @ 3000K / 780 @ 3000K	345 @ 3000K / 780 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SKYLINE 26
CIRCULAR MODULES
LED MODULAR SYSTEM



SKC26-S330G
48VDC CIRCULAR TRACKLIGHT



SKC26-S33R
48VDC CIRCULAR TRACKLIGHT




CIRCULAR TRACK MODULE

MODEL	SKC26-AC	SKC26-GL
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	5W1/0W	5W
CCT	2700K 3000K 3500K 4000K 5000K	2700K 3000K 3500K 4000K 5000K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	TRACK: 48VDC CIRCULAR MAGNETIC TRACK	TRACK: 48VDC CIRCULAR MAGNETIC TRACK
LUMEN OUTPUT	345 @ 3000K / 780 @ 3000K	345 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI CASAMBI	ON/OFF 0/1-10V DALI CASAMBI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-




SKYLINE 26
TRACK MAGNETIC
CIRCULAR


SK26-TRACK
CRICULAR 27.6 X 51.32



SK26-TRACK
CRICULAR 27 X 53



SK26-TRACK
CRICULAR 44.6 X 51.3



CIRCULAR MAGNETIC TRACK
MODEL

SK26-TRACK



SK26-TRACK



SK26-TRACK



INPUT	DC48V	DC48V
SIZE	Φ 600 Φ 900 Φ 1200 Φ 1800	Φ 600 Φ 900 Φ 1200 Φ 1800
COLOR	BLACK WHITE GOLD	BLACK WHITE GOLD

INPUT	DC48V
SIZE	Φ 600 Φ 900 Φ 1200 Φ 1800
COLOR	BLACK WHITE GOLD

ACCESSORY





MAGNETIC TRACKLIGHT
SKYLINE 05

SKYLINE 05
MAGNETIC TRACKLIGHT



SK05-D802LE



SK05-D802RC



SK05-D802CO



SK05-D804LE



SK05-D804CO



SK05-D806



SK05-D800



SK05-D900

SKYLINE 05

MAGNETIC TRACKLIGHT



SK05-D905



SK05-MD809



SK05-D809



SK05-T811



SK05-D811



SK05-D822



SK05-D822



SK05-D834



SKYLINE 05
LED MODULAR SYSTEM



SK05-D802LE
24VDC MAGNETIC TRACKLIGHT



SK05-D802RC
24VDC MAGNETIC TRACKLIGHT



MAGNETIC TRACK MODULE



MODEL	SK05-D802	SK05-D802
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	5W/8W	5W/8W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 40°	 50°
CRI	>90	>90
MOUNTING	TRACK: 24VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	-	60lm@3000K(8W)
IP	IP20	IP20
DIMMING	ON/OFF	ON/OFF
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

SK05-D802CO
24VDC MAGNETIC TRACKLIGHT



SK05-D804LE
24VDC MAGNETIC TRACKLIGHT



MODEL	SK05-D802	SK05-D804
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	5W/8W	9W/12W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 60°	 40°
CRI	>90	>90
MOUNTING	TRACK: 24VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	67lm@3000K	59lm@3000K(9W) 75lm@3000K(12W)
IP	IP20	IP20
DIMMING	ON/OFF	ON/OFF
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SKYLINE 05
LED MODULAR SYSTEM

SK05-D804CO
24VDC MAGNETIC TRACKLIGHT



SK05-D806
24VDC MAGNETIC TRACKLIGHT



MAGNETIC TRACK MODULE

MODEL	SK05-D804	SK05-D806
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	9W/12W	5W/8W/12W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 60°	 36°
CRI	>90	>90
MOUNTING	TRACK: 24VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	67lm@3000K(9W) 95lm@3000K(12W)	48lm@3000K(5W)/50lm@3000K(8W) 46lm@3000K(12W)
IP	IP20	IP20
DIMMING	ON/OFF	ON/OFF
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

SK05-D800
24VDC MAGNETIC TRACKLIGHT



SK05-D900
24VDC MAGNETIC TRACKLIGHT



MODEL	SK05-D800	SK05-D900
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	5W/10W	5W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 110°	 90°
CRI	>90	>90
MOUNTING	TRACK: 24VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	47lm@3000K(5W) 45lm@3000K(10W)	26lm@3000K
IP	IP20	IP20
DIMMING	ON/OFF	ON/OFF
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

SKYLINE 05
LED MODULAR SYSTEM



SK05-D905
24VDC MAGNETIC TRACKLIGHT



SK05-MD809
24VDC MAGNETIC TRACKLIGHT



MAGNETIC TRACK MODULE



MODEL	SK05-D905	SK05-MD809
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	3W	9W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 24°	 15° 24° 36°
CRI	>90	>90
MOUNTING	TRACK: 24VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	66lm@3000K	74lm@3000K
IP	IP20	IP20
DIMMING	ON/OFF	ON/OFF
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

SK05-D809
24VDC MAGNETIC TRACKLIGHT



SK05-T811
24VDC MAGNETIC TRACKLIGHT



MODEL	SK05-D809	SK05-T811
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	9W	5W/8W/10W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 15° 24° 36°	 15° 24° 36°
CRI	>90	>90
MOUNTING	TRACK: 24VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	74lm@3000K	83lm@3000K(5W)/69lm@3000K(8W) 67lm@3000K(10W)
IP	IP20	IP20
DIMMING	ON/OFF	ON/OFF
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

SKYLINE 05
LED MODULAR SYSTEM

SK05-D811
24VDC MAGNETIC TRACKLIGHT



SK05-D822
24VDC MAGNETIC TRACKLIGHT





SK05-D822
24VDC MAGNETIC TRACKLIGHT





SK05-D834
24VDC MAGNETIC TRACKLIGHT



MAGNETIC TRACK MODULE


MODEL	SK05-D905	SK05-MD809
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	13W	2W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 15° 24° 36°	 110°
CRI	>90	>90
MOUNTING	TRACK: 24VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	94lm@3000K	72lm@3000K 73lm@3000K
IP	IP20	IP20
DIMMING	ON/OFF	ON/OFF
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY		
OPTICAL ACCESSORY	-	-

MODEL	SK05-D809	SK05-T811
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	2W	8 W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE	 110°	 110°
CRI	>90	>90
MOUNTING	TRACK: 24VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	70lm@3000K 69lm@3000K	11.5lm@3000K
IP	IP20	IP20
DIMMING	ON/OFF	ON/OFF
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY		
OPTICAL ACCESSORY	-	-




SKYLINE 05


24VDC MAGNETIC TRACK




SK05-S1120



SK05-S1133



SK05-R4720



SK05-R4721

SKYLINE 05

TRACK ACCESSORIES



SK05-C-LA60



SK05-C-LA112



SK05-C-IM05M



SK05-C-CC



SK05-S2726-MB




SK05-S2726-DTB


SKYLINE 05

MAGNETIC TRACK 48VDC
LED MODULAR SYSTEM

SK05-S1120




SK05-S1133




MAGNETIC TRACK

MODEL	SK05-S1120	SK05-S1133
COLOR	BLACK	BLACK
	WHITE	WHITE


ACCESSORY




SK05-R4720



SK05-R4721



MODEL	SK05-R4720	SK05-R4721
COLOR	WHITE	BLACK
	BLACK	WHITE



SKYLINE 05
TRACK ACCESSORIES
LED MODULAR SYSTEM

SK05-C-LA60
TRACK ACCESSORIES



SK05-C-LA112
TRACK ACCESSORIES



MAGNETIC TRACK ACCESSORIES

MODEL	SK05-C-LA60	SK05-C-LA112
NAME	SHORT DRIVER MODULE	LONG DRIVER MODULE
SIZR (MM)	60 X 14.8 X 4.8MM	12 X 14.8 X 4.8MM

SK05-C-IM05M
TRACK ACCESSORIES



SK05-C-CC
TRACK ACCESSORIES



MAGNETIC TRACK ACCESSORIES

MODEL	SK05-C-IM05M	SK05-05C-CC
NAME	INPUT CONDUCTIVE MODULE	TRANSMIT DC24V VOLTAGE AND INTELLIGENT
SIZR (MM)	59.8 X 14.8 X 4.8MM	186 X 186 X 15 MM

SK05-S2726-MB
TRACK ACCESSORIES



SK05-S2726-DTB
TRACK ACCESSORIES



MAGNETIC TRACK ACCESSORIES

MODEL	SK05-S2726-MB	SK05-S2726-DTB
NAME	MONORAIL BOOM	DUAL-TRACK BOOM
SIZR (MM)	114 X Φ 45 MM	157 X Φ 45 MM





CIRCULAR MAGNETIC TRACKLIGHT

SKYLINE 05

SKYLINE 05 CIRCULAR MAGNETIC TRACKLIGHT



SK05-DS922



SK05-D802



SK05-D802

SKYLINE 05

24VDC CIRCULAR MAGNETIC TRACK



SK05-S2726
2-Wire
Surface-mounted track

SKYLINE 05

CIRCULAR TRACK ACCESSORIES



SK05-S2726-L90



SK05-S2726-IC



SK05-S2726-ICS



SK05-S2726-T90



SK05-S2726-C90



SK50-S2726-3TC

SKYLINE 05

CIRCULAR TRACK ACCESSORIES



SK05-S2726-4TC



SK05-S2726-5TC



SK05-S2726-6TC



SK05-S2726-IM



SK05-S2726-L180



SK05-S2726-PL180

SKYLINE 05

CIRCULAR TRACK ACCESSORIES



SK05-S2726-AS



SK05-S2726-PAS



SK05-S2726-BOET



SK05-S2726-BOIT



SK05-S2726-CR278

SKYLINE 05
CIRCULAR MODULES
 LED MODULAR SYSTEM

SK05-DS920
 24VDC CIRCULAR TRACKLIGHT



SK05-DS922
 24VDC CIRCULAR TRACKLIGHT



SK05-DS921
 24VDC CIRCULAR TRACKLIGHT



MAGNETIC TRACK MODULE

MODEL	SK05-DS920	SK05-DS922
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	6W/12W/18W/24W	6W/12W/18W/24W
CCT	3000K 4000K	3000K 4000K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	TRACK: 24VDC CIRCULAR MAGNETIC TRACK	TRACK: 24VDC CIRCULAR MAGNETIC TRACK
LUMEN OUTPUT	-	-
IP	IP20	IP20
DIMMING	ON/OFF	ON/OFF
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

MODEL	SK05-DS921
DIMENSION (MM)	
CUTOUT (MM)	-
WATTAGE	5W/10W/15W/20W
CCT	3000K 4000K
BEAM ANGLE	
CRI	>90
MOUNTING	TRACK: 24VDC CIRCULAR MAGNETIC TRACK
LUMEN OUTPUT	-
IP	IP20
DIMMING	ON/OFF
COLOR	WHITE BLACK
ACCESSORY	-
OPTICAL ACCESSORY	-



SKYLINE 05

MAGNETIC TRACK 24VDC
LED MODULAR SYSTEM

SK05-S2726

24VDC CIRCULAR TRACKLIGHT



MAGNETIC TRACK

MODEL	SK05-S2726
DIMENSION (MM)	
MODEL	R-05S2726
NAME	2-WIRE SURFACE-MOUNTED TRACK
MATERIAL	DIE CASTING ALUMINUM
SIZR (MM)	1000MM / 2000MM / 3000 MM
COLOR	WHITE BLACK

SKYLINE 05

CIRCULAR TRACK ACCESSORIES
LED MODULAR SYSTEM

SK05-S2726-L90



SK05-S2726-IC



MAGNETIC TRACK ACCESSORIES

MODEL	SK05-S2726-L90	SK05-S2726-IC
DIMENSION (MM)		
NAME	L-JOINT-L90°	I SHAPE STRAIGHTCONNECTION MODULE
MATERIAL	DIE CASTING ALUMINUM	DIE CASTING ALUMINUM
COLOR	WHITE / BLACK	WHITE / BLACK

SK05-S2726-ICS



SK05-S2726-T90



MAGNETIC TRACK ACCESSORIES

MODEL	SK05-S2726-ICS	SK05-S2726-T90
DIMENSION (MM)		
NAME	DIRECT MODULE WITH SWITCH	TEE ANGLE
MATERIAL	DIE CASTING ALUMINUM	DIE CASTING ALUMINUM
COLOR	WHITE / BLACK	WHITE / BLACK

SKYLINE 05
CIRCULAR TRACK ACCESSORIES
LED MODULAR SYSTEM

SK05-S2726-C90



MAGNETIC TRACK ACCESSORIES

MODEL SK05-S2726-C90



NAME CROSS CORNER


MATERIAL DIE CASTING ALUMINUM

COLOR WHITE / BLACK

SK05-S2726-3TC



MODEL SK05-S2726-3TC



NAME CUBIC TEE CORNER

MATERIAL DIE CASTING ALUMINUM

COLOR WHITE / BLACK

SK05-S2726-4TC



MAGNETIC TRACK ACCESSORIES

MODEL SK05-S2726-4TC



NAME CUBIC FOUR-WAY CORNER


MATERIAL DIE CASTING ALUMINUM

COLOR WHITE / BLACK

SK05-S2726-5TC



MODEL SK05-S2726-5TC



NAME CUBIC FIVE-WAY CORNER

MATERIAL DIE CASTING ALUMINUM

COLOR WHITE / BLACK

SKYLINE 05
CIRCULAR TRACK ACCESSORIES
LED MODULAR SYSTEM

SK05-S2726-6TC



MAGNETIC TRACK ACCESSORIES

MODEL SK05-S2726-6TC



NAME CUBIC SIX-WAY CORNER


MATERIAL DIE CASTING ALUMINUM

COLOR WHITE / BLACK

SK05-S2726-IM



MODEL SK05-S2726-IM



NAME INPUT MODULE

MATERIAL DIE CASTING ALUMINUM

COLOR WHITE / BLACK

SK05-S2726-L180



MAGNETIC TRACK ACCESSORIES

MODEL SK05-S2726-L180



NAME 180° ROTATION ANGLE


MATERIAL DIE CASTING ALUMINUM

COLOR WHITE / BLACK

SK05-S2726-PL180



MODEL SK05-S2726-PL180



NAME SUSPENSION 180° ROTATION ANGLE

MATERIAL DIE CASTING ALUMINUM

COLOR WHITE / BLACK

SKYLINE 05
TRACK ACCESSORIES
LED MODULAR SYSTEM

SK05-S2726-AS



SK05-S2726-PAS



MAGNETIC TRACK ACCESSORIES

MODEL	SK05-S2726-AS	SK05-S2726-PAS
DIMENSION (MM)		
NAME	BRACKET	SUSPENSION WIRE BRACKET
MATERIAL	DIE CASTING ALUMINUM	DIE CASTING ALUMINUM
COLOR	WHITE / BLACK	WHITE / BLACK

SKYLINE 05
TRACK ACCESSORIES
LED MODULAR SYSTEM

SK05-S2726-CR278



MAGNETIC TRACK ACCESSORIES

MODEL	SK05-S2726-CR278
DIMENSION (MM)	
NAME	INTEGRATED POWER SUPPLY
MATERIAL	DIE CASTING ALUMINUM
COLOR	WHITE / BLACK

SK05-S2726-BOET



SK05-S2726-BOIT



MAGNETIC TRACK ACCESSORIES

MODEL	SK05-S2726-BOET	SK05-S2726-BOIT
DIMENSION (MM)		
NAME	OUTER-BASE	INNER-BASE
MATERIAL	DIE CASTING ALUMINUM	DIE CASTING ALUMINUM
COLOR	WHITE / BLACK	WHITE / BLACK





MINI MAGNETIC TRACKLIGHT

SEAL MODULES

SEAL MODULES

MINI TRACKLIGHT



SE-LILY300



SE-LINA300



SE-215A



SE-300



SE-590



SE-890

SEAL MODULES

MINI TRACKLIGHT



SE-G300



SE-G590



SE-G890



SE-MINI1



SE-MINI2



SE-1932



SE-1940



SE-2378

SEAL MODULES

MINI TRACKLIGHT



SE-3SPOT



SE-2249



SE-2860



SE-4240



SE-4255



SE-4280



SE-5560



SE-22

SEAL MODULES

MINI TRACKLIGHT



SE-170650



SE-150400



SE-Wine Holder Front



SE-Wine Holder-Left




SE-Wine Holder-Right




SE-Shoes Holder

SEAL MODULES


MINI TRACKLIGHT




SE-F147325




SE-F170325




SE-F147625




SE-F170625




SE-F310325



SE-F333325



SE-F310625



SE-F333625

SEAL MODULES

TRACK ACCESSORIES



SE-TPC03



SE-TPC04



SE-TPP03



SE-TPP04



SE-TPP07




SE-TPP08




SE-TPP09

SEAL MODULES


12-48VDC MINI TACK




SE-03




SE-03-SC1




SE-03AL1



SE-03AL2




SE-03AL3




SE-03AL4

SEAL MODULES


LED MINI TACK




SE-3AL5




SE-03AL6




SE-03AL7



SE-03AL8



SE-SINGLE



SE-DOUBLE



SEAL MODULES
LED MODULAR SYSTEM



SE-LILY300
MINI TRACK MODULE



SE-LINA300
MINI TRACK MODULE



MINI TRACK MODULE



MODEL	SE-LILY300	SE-LINA300
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	2.5W	3W
CCT	2700K 3000K 3500K 4000K 5000K 6500K	2700K 3000K 3500K 4000K 5000K 6500K
BEAM ANGLE	 110°	 70° ASYMMETRICAL
CRI	>90	>90
MOUNTING	TRACK: 24-48VDC MAGNETIC TRACK	TRACK: 24-48VDC MAGNETIC TRACK
LUMEN OUTPUT	50-70 @ 3000K	50-60 @ 3000K
IP	IP20	IP20
DIMMING	0-10V PWM DALI(OPTIONAL)	0-10V PWM DALI(OPTIONAL)
INPUT VOLTAGE	DC24-48V	DC24-48V
COLOR	BLACK	BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

SE-215A
MINI TRACK MODULE



SE-300
MINI TRACK MODULE



MODEL	SE-215A	SE-300A
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	5W	4W
CCT	2700K 3000K 3500K 4000K 5000K 6500K	2700K 3000K 3500K 4000K 5000K 6500K
BEAM ANGLE	 15° 20° 25° 35° 55°	 15° 20° 25° 35° 50°
CRI	>90	>90
MOUNTING	TRACK: 24-48VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	58 @ 3000K / 68 @ 3000K / 76 @ 3000K / 86 @ 3000K	90 @ 3000K
IP	IP20	IP20
DIMMING	0-10V PWM DALI(OPTIONAL)	0-10V PWM DALI(OPTIONAL)
INPUT VOLTAGE	DC24-48V	DC24V
COLOR	BLACK	BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SEAL MODULES
LED MODULAR SYSTEM



SE-590
MINI TRACK MODULE



SE-890
MINI TRACK MODULE



MINI TRACK MODULE



MODEL	SE-590A	SE-890A
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	8W	10W
CCT	2700K 3000K 3500K 4000K 5000K 6500K	2700K 3000K 3500K 4000K 5000K 6500K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	TRACK: 24VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	90 @ 3000K	90 @ 3000K
IP	IP20	IP20
DIMMING	0-10V PWM DALI(OPTIONAL)	0-10V PWM DALI(OPTIONAL)
INPUT VOLTAGE	DC24V	DC24V
COLOR	BLACK	BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

SE-G300
MINI TRACK MODULE



SE-G590
MINI TRACK MODULE



MODEL	SE-G300A	SE-G590A
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	4W	8W
CCT	2700K 3000K 3500K 4000K 5000K 6500K	2700K 3000K 3500K 4000K 5000K 6500K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	TRACK: 24VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	90 @ 3000K	90 @ 3000K
IP	IP20	IP20
DIMMING	0-10V PWM DALI(OPTIONAL)	0-10V PWM DALI(OPTIONAL)
INPUT VOLTAGE	DC24V	DC24V
COLOR	BLACK	BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SEAL MODULES
LED MODULAR SYSTEM

SE-G890
MINI TRACK MODULE



SE-MINI1
MINI TRACK MODULE





SE-MINI2
MINI TRACK MODULE





SE-1932
MINI TRACK MODULE



MINI TRACK MODULE

MODEL	SE-G890A	SE-MINI1
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	10W	1.2W
CCT	2700K 3000K 3500K 4000K 5000K 6500K	2700K 3000K 3500K 4000K 5000K 6500K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	TRACK: 24VDC MAGNETIC TRACK	TRACK: 24-48VDC MAGNETIC TRACK
LUMEN OUTPUT	90 @ 3000K	50-60 @ 3000K
IP	IP20	IP20
DIMMING	0-10V PWM DALI(OPTIONAL)	0-10V PWM DALI(OPTIONAL)
INPUT VOLTAGE	DC24V	DC24-48V
COLOR	BLACK	BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

MODEL	SE-MINI2	SE-MIDO1932
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	2W	1.5W
CCT	2700K 3000K 3500K 4000K 5000K 6500K	2700K 3000K 3500K 4000K 5000K 6500K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	TRACK: 24-48VDC MAGNETIC TRACK	TRACK: 24-48VDC MAGNETIC TRACK
LUMEN OUTPUT	80-90 @ 3000K / 90-100 @ 3000K	70-80 @ 3000K
IP	IP20	IP20
DIMMING	0-10V PWM DALI(OPTIONAL)	0-10V PWM DALI(OPTIONAL)
INPUT VOLTAGE	DC24-48V	DC24-48V
COLOR	BLACK	BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SEAL MODULES
LED MODULAR SYSTEM



SE-1940
MINI TRACK MODULE



SE-2378
MINI TRACK MODULE



MINI TRACK MODULE



MODEL	SE-MINA1940	SE-2378
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	2W	2W
CCT	2700K 3000K 3500K 4000K 5000K 6500K	2700K 3000K 3500K 4000K 5000K 6500K
BEAM ANGLE	 15° 30° 50°	 15° - 30°
CRI	>90	>90
MOUNTING	TRACK: 24-48VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	60-70 @ 3000K / 70-80 @ 3000K	- @ 3000K
IP	IP20	IP20
DIMMING	0-10V PWM DALI(OPTIONAL)	0-10V PWM DALI(OPTIONAL)
INPUT VOLTAGE	DC24-48V	DC24V
COLOR	BLACK	BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

SE-3SPOT
MINI TRACK MODULE



SE-2249
MINI TRACK MODULE



MODEL	SE-3SPOT	SE-2249
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	6W	2W
CCT	2700K 3000K 3500K 4000K 5000K 6500K	2700K 3000K 3500K 4000K 5000K 6500K
BEAM ANGLE	 15° 20° 25° 30° 40°	 15° 25° 55°
CRI	>90	>90
MOUNTING	TRACK: 24-48VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	- @ 3000K	- @ 3000K
IP	IP20	IP20
DIMMING	0-10V PWM DALI(OPTIONAL)	0-10V PWM DALI(OPTIONAL)
INPUT VOLTAGE	DC24-48V	DC24V
COLOR	BLACK	BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SEAL MODULES
LED MODULAR SYSTEM

SE-2860
MINI TRACK MODULE



SE-4240
MINI TRACK MODULE



SE-4255
MINI TRACK MODULE



SE-4280
MINI TRACK MODULE



MINI TRACK MODULE

MODEL	SE-2860	SE-4240
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	4W	4W
CCT	2700K 3000K 3500K 4000K 5000K 6500K	2700K 3000K 3500K 4000K 5000K 6500K
BEAM ANGLE	 20° 30°	 14° 22° 60°
CRI	>95	>90
MOUNTING	TRACK:24VDC MAGNETIC TRACK	TRACK: 24-48VDC MAGNETIC TRACK
LUMEN OUTPUT	- @ 3000K	80-90 @ 3000K / 70-80 @ 3000K
IP	IP20	IP20
DIMMING		0-10V PWM DALI(OPTIONAL)
INPUT VOLTAGE	DC24V	DC24-48V
COLOR	BLACK	BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

MODEL	SE-4255	SE-4280
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	5W	6W
CCT	2700K 3000K 3500K 4000K 5000K 6500K	2700K 3000K 3500K 4000K 5000K 6500K
BEAM ANGLE	 14° 22° 60°	 10° 16° 25° 60°
CRI	>90	>90
MOUNTING	TRACK: 24-48VDC MAGNETIC TRACK	TRACK: 24-48VDC MAGNETIC TRACK
LUMEN OUTPUT	- @ 3000K	70-75 @ 3000K / 60-70 @ 3000K / 50-60 @ 3000K
IP	IP20	IP20
DIMMING	0-10V PWM DALI(OPTIONAL)	0-10V PWM DALI(OPTIONAL)
INPUT VOLTAGE	DC24-48V	DC24-48V
COLOR	BLACK	BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SEAL MODULES
LED MODULAR SYSTEM



SE-5560
MINI TRACK MODULE




SE-22
MINI TRACK MODULE



MINI TRACK MODULE

MODEL	SE-5560	SE-22
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	4W	10W
CCT	2700K 3000K 3500K 4000K	2700K 3000K 3500K 4000K 5000K 6500K
BEAM ANGLE	 10° - 35°	 360°
CRI	>95	>90
MOUNTING	TRACK: 24VDC MAGNETIC TRACK	TRACK: 24VDC MAGNETIC TRACK
LUMEN OUTPUT	- @ 3000K	- @ 3000K
IP	IP20	IP20
DIMMING	0-10V PWM DALI BLUETOOTH CONTROL	0-10V PWM DALI
INPUT VOLTAGE	DC24V	DC24V
COLOR	BLACK	WHITE
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SEAL MODULES
LED MODULAR SYSTEM

SE-170650
DISPLAY LIGHT




SE-150400
DISPLAY LIGHT



MINI TRACK MODULE

MODEL	SE-170650	SE-150400
DIMENSION (MM)		
LIGHT CONFIGURATION		
POWER	3W	1.5W / 2W
SIZE	170 X 650 X 25MM	150 X 400 X 25MM
CCT	1800K - 6500K	1800K - 6500K
CRI	>90	>90
INPUT VOLTAGE	24VDC	24VDC



SEAL MODULES
LED MODULAR SYSTEM

SE-WINE HOLDER FRONT
DISPLAY LIGHT



SE-WINE HOLDER LEFT
DISPLAY LIGHT



MINI TRACK MODULE

MODEL	SE-WINE HOLDER FRONT	SE-WINE HOLDER LEFT
LIGHT CONFIGURATION		

SE-WINE HOLDER-RIGHT

SE-SHOES HOLDER




MINI MAGNETIC TRACK MODULE


MODEL	SE-WINE HOLDER-RIGHT	SE-SHOES HOLDER
LIGHT CONFIGURATION		

SEAL MODULES
LED MODULAR SYSTEM


SE-147325
DISPLAY LIGHT




SE-170325
DISPLAY LIGHT




MINI TRACK MODULE



MODEL	SE-147325	SE-170325
LIGHT CONFIGURATION		
POWER	1.5W	1.5W
MATERIAL	ALUMINIUM FRAME WITH GLASS PLATE	ALUMINIUM FRAME WITH GLASS PLATE
ALUMINIUM FRAME SIZE	147 X 325 X 30MM	170 X 325 X 30MM
CCT	1800K - 6500K	1800K - 6500K
CRI	>90	>90
GLASS SIZE	122.5 X 300 X 6MM	122.5 X 300 X 6MM
INPUT VOLTAGE	24VDC	24VDC

SE-147625
DISPLAY LIGHT




SE-170625
DISPLAY LIGHT




MODEL	SE-147625	SE-170625
LIGHT CONFIGURATION		
POWER	3W	3W
MATERIAL	ALUMINIUM FRAME WITH GLASS PLATE	ALUMINIUM FRAME WITH GLASS PLATE
ALUMINIUM FRAME SIZE	147 X 625 X 30MM	170 X 625 X 30MM
CCT	1800K - 6500K	1800K - 6500K
CRI	>90	>90
GLASS SIZE	122.5 X 300 X 6MM	122.5 X 600 X 6MM
INPUT VOLTAGE	24VDC	24VDC

SEAL MODULES
LED MODULAR SYSTEM



SE-310325
DISPLAY LIGHT




SE-333325
DISPLAY LIGHT




MINI TRACK MODULE



MODEL	SE-310325	SE-333325
LIGHT CONFIGURATION		
POWER	3W/1.5W+2W	3W/1.5W+2W
MATERIAL	ALUMINIUM FRAME WITH GLASS PLATE	ALUMINIUM FRAME WITH GLASS PLATE
ALUMINIUM FRAME SIZE	310 X 325 X 30MM	333 X 325 X 30MM
CCT	1800K - 6500K	1800K - 6500K
CRI	>90	>90
GLASS SIZE	285.5 X 300 X 6MM	285.5 X 300 X 6MM
INPUT VOLTAGE	24VDC	24VDC

SE-310625
DISPLAY LIGHT




SE-333625
DISPLAY LIGHT




MODEL	SE-310625	SE-333625
LIGHT CONFIGURATION		
POWER	6W / 3W+2W+2W	6W / 3W+2W+2W
MATERIAL	ALUMINIUM FRAME WITH GLASS PLATE	ALUMINIUM FRAME WITH GLASS PLATE
ALUMINIUM FRAME SIZE	310 X 625 X 30MM	333 X 625 X 30MM
CCT	1800K - 6500K	1800K - 6500K
CRI	>90	>90
GLASS SIZE	285.5 X 600 X 6MM	285.5 X 600 X 6MM
INPUT VOLTAGE	24VDC	24VDC

SEAL MODULES
MINI TRACK SYSTEM

SE-03
MINI TRACK



SE-03-SC1
MINI TRACK



MINI TRACK SYSTEM

MODEL	SE-03	SE-03-SC1
COLOR	BLACK	BLACK
ACCESSORY		



TPC03



TPC04



TPP03



TPP04



TPC03



TPC04




TPP03



TPP04

SE-03AL1
MINI TRACK



SE-03AL1

COLOR	BLACK
ACCESSORY	



TPC03



TPC04




TPP03



TPP04

SE-03AL2
MINI TRACK



SE-03AL2

COLOR	BLACK
ACCESSORY	



TPC03



TPC04



TPP03




TPP04




SEAL MODULES
MINI TRACK SYSTEM


SE-03AL3
MINI TRACK




SE-03AL4
MINI TRACK



SE-03AL5
MINI TRACK



SE-03AL6
MINI TRACK



MINI TRACK SYSTEM

MODEL	SE-03AL3	SE-03AL4
COLOR	BLACK	BLACK
ACCESSORY		



TPC03



TPC04



TPP03



TPP04



TPC03



TPC04



TPP03



TPP04



TPR03AL4
2 METER LENGTH

MODEL	SE-03AL5	SE-03AL6
COLOR	BLACK	BLACK
ACCESSORY		



TPC03



TPC04



TPP03



TPP04



TPR03AL5
2 METER LENGTH



TPC03



TPC04



TPP03



TPP04




TPR03AL6
1.5 METER LENGTH




SEAL MODULES
MINI TRACK SYSTEM SERIES

SE-03AL7
MINI TRACK



SE-03AL8
MINI TRACK



MINI TRACK SYSTEM

MODEL	SE-03AL7	SE-03AL8
COLOR	BLACK	BLACK
ACCESSORY		



TPC03



TPC03



TPC04



TPC04



TPP03



TPP03



TPP04



TPP04

SEAL MODULES
ACCESSORIES
LED MODULAR SYSTEM

SE-TPC03
TRACK ACCESSORIES



SE-TPC04
TRACK ACCESSORIES



TRACK ACCESSORIES

MODEL	SE-TPC03	SE-TPC04
WATTAGE	80W	100W
CABLE LENGTH	50MM	50MM
	CUSTOMIZED CABLE LENGTH IS AVAILABLE	CUSTOMIZED CABLE LENGTH IS AVAILABLE

SE-TPP03
TRACK ACCESSORIES



SE-TPP04
TRACK ACCESSORIES



TRACK ACCESSORIES

MODEL	SE-TPP03	SE-TPP04
WATTAGE	80W	120W
CABLE LENGTH	500MM	500MM
	DIFFERENT CABLE LENGTH IS AVAILABLE	DIFFERENT CABLE LENGTH IS AVAILABLE

SEAL MODULES

ACCESSORIES
LED MODULAR SYSTEM

SE-TPP07

TRACK ACCESSORIES



SE-TPP08

TRACK ACCESSORIES



TRACK ACCESSORIES

MODEL	SE-TPP09	SE-TPP08
WATTAGE	24V-48V HAND WAVE SMART	SINGLE LAMP CONTROL SWITCH
CABLE LENGTH	10-100MM	ON/OFF

SE-TPP09

TRACK ACCESSORIES



TRACK ACCESSORIES



MODEL	SE-TPP09
DIMMING	I SHAPE STRAIGHT CONNECTION MODULE
	ON/OFF



SEAL MODULES
MINI TRACK SYSTEM SERIES

SE-SINGLE
MINI TRACK

SE-DOUBLE
MINI TRACK





MINI TRACK SYSTEM

MODEL

SINGLE

DOUBLE

DIMENSION (MM)



ALU MATERIA	6063, ANODIZED IN BLACK COLOUR	6063, ANODIZED IN BLACK COLOUR
LENGTH	2METERS, COME WITH 2PCS OF ENDCAP WITHOUT CABLE	2METERS, COME WITH 2PCS OF ENDCAP WITHOUT CABLE
SIZE	CUSTOMIZED LENGTH AND FINISH ARE ON REQUEST	CUSTOMIZED LENGTH AND FINISH ARE ON REQUEST





BELT TRACKLIGHT

SLING MODULES

SLING MODULES

BELT TRACKLIGHT



SL30S



SL38S



SL53S



SL80B



SL120B



SL80BC



SL120BC



SL38PD

SLING MODULES

BELT TRACKLIGHT



SL75PD / SL148PD



SL237G



SLA237GA



SL237AA



SL237A



SL237GSQ



SL314A



SL237ASQ

SLING MODULES


BELT TRACKLIGHT



SL111PD



SL128PD



SL157PD



SL180PD



SL410PD



SL410PDC



SL111PDC



SL128PDC

SLING MODULES
LED MODULAR SYSTEM



SL30S
48VDC BELT TRACKLIGHT



SL38S
48VDC BELT TRACKLIGHT



BELT TRACK MODULE



MODEL	SL30S	SL38S
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	5W	10W
CCT	2700K 3000K 4000K 5000K 6000K	2700K 3000K 4000K 5000K 6000K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	-	-
LUMEN OUTPUT	417 @ 3000K	727 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

SL53S
48VDC BELT TRACKLIGHT



SL80B
48VDC BELT TRACKLIGHT



MODEL	SL53S	SL80B
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	18W	4W
CCT	2700K 3000K 4000K 5000K 6000K	2700K 3000K 4000K 5000K 6000K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	-	-
LUMEN OUTPUT	1718 @ 3000K	374 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

SLING MODULES
LED MODULAR SYSTEM

SL120B
48VDC BELT TRACKLIGHT



SL80BC
48VDC BELT TRACKLIGHT





SL120BC
48VDC BELT TRACKLIGHT





SL38PD
48VDC BELT TRACKLIGHT



BELT TRACK MODULE

MODEL	SL120B	SL80BC
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	5W	4W
CCT	2700K 3000K 4000K 5000K 6000K	2700K 3000K 4000K 5000K 6000K
BEAM ANGLE	 110°	 30°
CRI	>90	>90
MOUNTING	-	-
LUMEN OUTPUT		374 @ 3000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

MODEL	SL120BC	SL38PD
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	5W	7W
CCT	2700K 3000K 4000K 5000K 6000K	2700K 3000K 4000K 5000K 6000K
BEAM ANGLE	 110°	 18° 24° 36°
CRI	>90	>90
MOUNTING	-	-
LUMEN OUTPUT		505 @ 4000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SLING MODULES
LED MODULAR SYSTEM

SL75PD / SL148PD
48VDC BELT TRACKLIGHT



SL237G
48VDC BELT TRACKLIGHT




SLA237GA
48VDC BELT TRACKLIGHT





SL237AA
48VDC BELT TRACKLIGHT



BELT TRACK MODULE

MODEL	SL75PD / SL148PD	SL237G
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	7W	12W
CCT	2700K 3000K 4000K 5000K 6000K	2700K 3000K 4000K 5000K 6000K
BEAM ANGLE	 18° 24° 36°	 110°
CRI	>90	>90
MOUNTING	-	-
LUMEN OUTPUT	202 @ 3000K	906 @ 4000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

MODEL	SLA237GA	SL237AA
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	12W	12W
CCT	2700K 3000K 4000K 5000K 6000K	2700K 3000K 4000K 5000K 6000K
BEAM ANGLE	 110°	 24° 36°
CRI	>90	>90
MOUNTING	-	-
LUMEN OUTPUT	906 @ 4000K	912 @ 4000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SLING MODULES
LED MODULAR SYSTEM



SL237A
48VDC BELT TRACKLIGHT



SL237GSQ
48VDC BELT TRACKLIGHT



BELT TRACK MODULE



MODEL	SL237A	SL237GSQ
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	12W	12W
CCT	2700K 3000K 4000K 5000K 6000K	2700K 3000K 4000K 5000K 6000K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	-	-
LUMEN OUTPUT	648 @ 4000K	906 @ 4000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-


SL314A
48VDC BELT TRACKLIGHT



SL237ASQ
48VDC BELT TRACKLIGHT



MODEL	SL314A	SL237ASQ
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	12W	12W
CCT	2700K 3000K 4000K 5000K 6000K	2700K 3000K 4000K 5000K 6000K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	-	-
LUMEN OUTPUT	-	948 @ 4000K
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SLING MODULES
LED MODULAR SYSTEM

SL111PD
48VDC BELT TRACKLIGHT



SL128PD
48VDC BELT TRACKLIGHT



SL157PD
48VDC BELT TRACKLIGHT




SL180PD
48VDC BELT TRACKLIGHT



BELT TRACK MODULE

MODEL	SL111PD	SL128PD
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	8W	8W
CCT	2700K 3000K 4000K 5000K 6000K	2700K 3000K 4000K 5000K 6000K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	-	-
LUMEN OUTPUT	-	-
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-

MODEL	SL157PD	SL180PD
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	12W	12W
CCT	2700K 3000K 4000K 5000K 6000K	2700K 3000K 4000K 5000K 6000K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	-	-
LUMEN OUTPUT	-	-
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-



SLING MODULES
LED MODULAR SYSTEM

SL410PD
48VDC BELT TRACKLIGHT



SL410PDC
48VDC BELT TRACKLIGHT





SL111PDC
48VDC BELT TRACKLIGHT





SL128PDC
48VDC BELT TRACKLIGHT



BELT TRACK MODULE

MODEL	SL410PD	SL410PDC
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	6W	8W
CCT	2700K 3000K 4000K 5000K 6000K	2700K 3000K 4000K 5000K 6000K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	-	>90
LUMEN OUTPUT	-	-
IP	IP20	-
DIMMING	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI	IP20 ON/OFF 0/1-10V DALI WIRELESS ZIGBEE ZIGBEE BLUETOOTH TUYA
COLOR	WHITE BLACK	WHITE WHITE BLACK
ACCESSORY	-	BLACK
OPTICAL ACCESSORY	-	-

MODEL	SL111PDC	SL128PDC
DIMENSION (MM)		
CUTOUT (MM)	-	-
WATTAGE	8W	8W
CCT	2700K 3000K 4000K 5000K 6000K	2700K 3000K 4000K 5000K 6000K
BEAM ANGLE		
CRI	>90	>90
MOUNTING	-	-
LUMEN OUTPUT	-	-
IP	IP20	IP20
DIMMING	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA WIFI	ON/OFF 0/1-10V DALI WIRELESS ZIGBEE BLUETOOTH TUYA
COLOR	WHITE BLACK	WHITE BLACK
ACCESSORY	-	-
OPTICAL ACCESSORY	-	-




SLING 2-WIRE

BELT TRACK & INSTALLATION KIT



SL-22P2006IM



SL-22P2006-90



SL-22P2006-180



SL-22P200690L



SL-23P2003



SL-23C2003IMC



SL-22P2006SW-60
SL-22P2006SW-120



SL-23D2003PS-100
SL-23D2003PS-250

SLING 2-WIRE

BELT ACCESSORIES



SL-22P2006PS-100



SL-23C2003CU



SL-23P2003PE-UG



SL-21P2007PE



SL-23P2003SN



**SLING 2-WIRE
BELT TRACK &
INSTALLATION KIT**

**SL-22P2006IM
INSTALLATION KIT**



**SL-22P2006-90
INSTALLATION KIT**



**SL-22P2006-180
INSTALLATION KIT**

**SL -22P200690L
INSTALLATION KIT**





**2-WIRE BELT TRACK &
INSTALLATION KIT**

MODEL	SL-22P2006IM	SL-22P2006-90
DIMENSION (MM)		
COLOR	REDDISH BROWN GREY BLUE GREY BLACK GREY CUSTOMIZABLE	REDDISH BROWN GREY BLUE GREY BLACK GREY CUSTOMIZABLE

MODEL	SL-22P2006-180	SL -22P200690L
DIMENSION (MM)		
COLOR	REDDISH BROWN GREY BLUE GREY BLACK GREY CUSTOMIZABLE	REDDISH BROWN GREY BLUE GREY BLACK GREY CUSTOMIZABLE

OPTICAL ACCESSORY



**SLING 2-WIRE
BELT TRACK &
INSTALLATION KIT**


**SL-23P2003
BELT**




**SL-23C2003IMC
INSTALLATION KIT**



**2-WIRE BELT TRACK &
INSTALLATION KIT**

MODEL	SL-23P2003	SL-23C2003IMC
DIMENSION (MM)		
COLOR	REDDISH BROWN GREY BLUE GREY BLACK GREY CUSTOMIZABLE	REDDISH BROWN GREY BLUE GREY BLACK GREY CUSTOMIZABLE

OPTICAL ACCESSORY





**SL-22P2006SW-60
SL-22P2006SW-120
HANGING BELT**



**SL-23D2003PS-100
SL-23D2003PS-250
INSTALLATION KIT**



MODEL	SL-22P2006SW-60/SL-22P2006SW-120	SL-23D2003PS-100/SL-23D2003PS-250
DIMENSION (MM)		
COLOR	REDDISH BROWN GREY BLUE GREY BLACK GREY CUSTOMIZABLE	REDDISH BROWN GREY BLUE GREY BLACK GREY CUSTOMIZABLE



SLING 2-WIRE
BELT ACCESSORIES

SL-22P2006PS-100
ACCESSORIES



SL-23C2003CU
ACCESSORIES





SL-23P2003PE-UG
ACCESSORIES





SL-21P2007PE
ACCESSORIES







2-WIRE BELT TRACK
ACCESSORIES

MODEL	SL-22P2006PS-100	SL-23C2003CU
DIMENSION (MM)		
COLOR	REDDISH BROWN GREY BLUE GREY BLACK GREY CUSTOMIZABLE	REDDISH BROWN GREY BLUE GREY BLACK GREY CUSTOMIZABLE

MODEL	SL-23P2003PE-UG	SL-21P2007PE
DIMENSION (MM)		
COLOR	REDDISH BROWN GREY BLUE GREY BLACK GREY CUSTOMIZABLE	REDDISH BROWN GREY BLUE GREY BLACK GREY CUSTOMIZABLE

OPTICAL ACCESSORY



SLING 2-WIRE
BELT ACCESSORIES

SL-23P2003SN
ACCESSORIES




2-WIRE BELT TRACK
ACCESSORIES

MODEL

SL-23P2003SN

DIMENSION (MM)



COLOR

REDDISH BROWN



GREY

BLUE GREY

BLACK GREY

CUSTOMIZABLE


OPTICAL ACCESSORY



SLING 4-WIRE BELT TRACK & INSTALLATION KIT



SL-22P2006IM



SL-22P2006-90



SL-22P2006-180



SL-22P200690L



SL-22P2006



SL-22C2006IMC



SL-22P2006SW-60
SL-22P2006SW-120



SL-22D2006PS-100
SL-22D2006PS-250

SLING 4-WIRE BELT ACCESSORIES



SL-22P2006PS-100



SL-22C2006CU



SL-22P2006PE-UG



SL-21P2007PE




SL-22P2006SN

**SLING 4-WIRE
BELT TRACK &
INSTALLATION KIT**

**SL-22P2006IM
INSTALLATION KIT**



**SL-22P2006-90
INSTALLATION KIT**





**SL-22P2006-180
INSTALLATION KIT**





**SL -22P200690L
INSTALLATION KIT**





**4-WIRE BELT TRACK &
INSTALLATION KIT**

MODEL	SL-22P2006IM	SL-22P2006-90
DIMENSION (MM)		
COLOR	HERMES ORANGE RED BROWN COFFEE BLACK GREY GREEN YELLOW CUSTOMIZABLE	HERMES ORANGE RED BROWN COFFEE BLACK GREY GREEN YELLOW CUSTOMIZABLE

MODEL	SL-22P2006-180	SL -22P200690L
DIMENSION (MM)		
COLOR	HERMES ORANGE RED BROWN COFFEE BLACK GREY GREEN YELLOW CUSTOMIZABLE	HERMES ORANGE RED BROWN COFFEE BLACK GREY GREEN YELLOW CUSTOMIZABLE

OPTICAL ACCESSORY



**SLING 4-WIRE
BELT TRACK &
INSTALLATION KIT**

**SL-22P2006
BELT**




**SL-22C2006IMC
INSTALLATION KIT**



**4-WIRE BELT TRACK &
INSTALLATION KIT**

MODEL	SL-22P2006	SL-22C2006IMC
DIMENSION (MM)		
COLOR	HERMES ORANGE RED BROWN COFFEE BLACK GREY GREEN YELLOW CUSTOMIZABLE	HERMES ORANGE RED BROWN COFFEE BLACK GREY GREEN YELLOW CUSTOMIZABLE

OPTICAL ACCESSORY



**SL-22P2006SW-60
SL-22P2006SW-120
HANGING BELT**




**SL-22D2006PS-100
SL-22D2006PS-250
INSTALLATION KIT**



SL-22P2006SW-60/SL-22P2006SW-120 **SL-22D2006PS-100/SL-22D2006PS-250**



HERMES ORANGE	HERMES ORANGE
RED	RED
BROWN COFFEE	BROWN COFFEE
BLACK	BLACK
GREY	GREY
GREEN	GREEN
YELLOW	YELLOW
CUSTOMIZABLE	CUSTOMIZABLE



**SLING 4-WIRE
BELT ACCESSORIES**



**SL-22P2006PS-100
ACCESSORIES**




**SL-22C2006CU
ACCESSORIES**



**4-WIRE BELT TRACK
ACCESSORIES**

MODEL	SL-22P2006PS-100	SL-22C2006CU
DIMENSION (MM)		
COLOR	HERMES ORANGE RED BROWN COFFEE BLACK GREY GREEN YELLOW CUSTOMIZABLE	HERMES ORANGE RED BROWN COFFEE BLACK GREY GREEN YELLOW CUSTOMIZABLE

OPTICAL ACCESSORY






**SL-22P2006PE-UG
ACCESSORIES**



**SL-21P2007PE
ACCESSORIES**



MODEL	SL-22P2006 PE-UG	SL-21P2007PE
DIMENSION (MM)		
COLOR	HERMES ORANGE RED BROWN COFFEE BLACK GREY GREEN YELLOW CUSTOMIZABLE	HERMES ORANGE RED BROWN COFFEE BLACK GREY GREEN YELLOW CUSTOMIZABLE



SLING 4-WIRE
BELT ACCESSORIES

SL-22P2006SN
ACCESSORIES




4-WIRE BELT TRACK
ACCESSORIES

MODEL

SL-22P2006SN

DIMENSION (MM)



COLOR

HERMES ORANGE

RED

BROWN COFFEE

BLACK

GREY

GREEN

YELLOW

CUSTOMIZABLE

OPTICAL ACCESSORY

